



DURA LUBE ENGINE TREATMENT



Untreated Engine with Sludge Buildup

Dura Lube Engine Treatment Helps Keep Engines Clean by Reducing Heat & Friction a Major Cause of Engine Sludge

DURA LUBE ENGINE TREATMENT KEEPS ENGINES CLEANER

Dura Lube Advanced Engine Treatment is an advanced liquid formula precision blended to reduce friction and heat. Dura Lube works with all oils including synthetics. It contains NO solids, graphite, PTFE or moly.

It helps keep engines clean by reducing heat and friction a major cause of engine sludge. A cleaner engine starts and performs better. Regular use of Dura Lube Engine Treatment helps maintain a healthy running vehicle.

APPLICATIONS: Replace one qt. of oil with one qt. of Dura Lube to the engine every oil change. Add 1/2 bottle any time.

Dura Lube Helps Keep Engines Cleaner
WHEN GOOD OIL GOES BAD™

TYPICAL PROPERTIES

SPECIFIC GRAVITY	0.915
VISCOSITY	10-11.1 cST@ 100°C
Copper Strip Corrosion	CLASS 1
FLASH POINT	greater than 400° F
Dielectric Strength	43KV
POUR POINT	-30° F
High Peak Operating Temperature	Max Sustained 350°F



Dura Lube Sludge Away Engine Cleaner

USE IN AUTO, TRUCK, MARINE, FARM, INDUSTRIAL.



Sludge Away engine product cleans internal engine parts. Repeated use helps break down and loosen sludge buildup, allowing it to run out with an oil change. It reduces friction and heat to help return engine performance to normal. It improves oil circulation and helps maintain oil viscosity. Sludge Away engine product helps protect from oil starvation at start up. Quiets motor noise, frees sticking rings and other moving internal engine parts.

Directions: Replace one quart of oil at an oil change with one quart of Sludge Away engine product. Top off at anytime. For repeated use, change oil every 3,000 miles and add one bottle of Sludge Away engine product. For more severe sludge build up, change the oil and add Sludge Away engine product every 1,000 miles. Repeat as needed until performance and oil color returns to normal. Oil color should be dark brown, not black. Sludge Away engine product works with all types of motor oils including high mileage and synthetics. Do NOT use Sludge Away engine product as total replacement for motor oil. Large diesel engines add up to 25% of crankcase capacity.

REDUCES HEAT AND FRICTION

Part No.	Description	UPC	Case Pack	Dimensions	Weight	Cube	Cases/Pallet
40501-12	32oz Dura Lube Sludge Away	7 1598140831 9	12	11 x 8 x 6	7	0.3	140



Dura Lube Upper Cylinder Lubricant & Fuel Injection Cleaner



USE IN AUTO, TRUCK, MARINE,
FARM, INDUSTRIAL
LAWN AND GARDEN.
2 CYCLE AND 4 CYCLE ENGINES.
WORKS IN GAS OR DIESEL.
TREATS UP TO 25 GALLONS.
POUR CONTENTS IN FUEL TANK.

CLEANS INJECTORS TO REDUCE:

1. LOSS OF FUEL ECONOMY
2. LOSS OF POWER
3. HESITATIONS
4. PINGING / DIESELING

Cleans & Lubricates
Carburetors, Injectors
and Valve Seats


Improves Acceleration
Aids in Eliminating
Valve Sticking
Saves Gas

REDUCES CARBON BUILD UP THE CAUSE OF:

1. PRE-IGNITION
2. POWER LOSS
3. BURNED VALVES
4. BROKEN RINGS

Environmentally
Safe

Removes Valve
Stem Gum



Part No.	Description	UPC	Case Pack	Dimensions	Weight	Cube	Cases/Pallet
44001-12	5.25oz Dura Lube Upper Cyl Lubricant	7 15981 44001 0	12	7 x 5.5 x 8.5	5	0.19	240